

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. This Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY (As Used on Label and List)
STIPPLED WAX, MESH WAX

Note: Blank spaces are not permitted. If any item is not
applicable, or no information is available, the space must be
marked to indicate that.

Section I

Manufacturer's Name KEYSTONE INDUSTRIES	Emergency Telephone Number (800) 535-5053
Address (Number, Street, City, State, and ZIP Code) 616 Hollywood Av	Telephone Number for Information (856) 663-4700
Cherry Hill, NJ 08002	Date Prepared Reviewed April, 3, 2007
	Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
N/A				

Section III - Physical/Chemical Characteristics

Boiling Point	380°F	Specific Gravity (H ₂ O = 1)	0.935
Vapor Pressure (mm Hg.)	N/A	Melting Point	170°F - 178°F
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water NONE			
Appearance and Odor			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Open Cup - 480°F	Flammable Limits	LEL	UEL
Extinguishing Media Foam, Dry Chemicals			
Special Fire Fighting Procedures None			
Unusual Fire and Explosion Hazards None			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable X		
Incompatibility (Materials to Avoid) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur X		

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
--------------------	-------------	-------	------------

Health Hazards (<i>Acute and Chronic</i>)			
None			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure			
Medical Conditions			
Generally Aggravated by Exposure			
Emergency and First Aid Procedures Flush with water			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
Recover free solids, add absorbent to spill area
Waste Disposal Method
Incinerate
Precautions to Be taken in Handling and Storing
Keep containers closed, avoid excessive heat or direct flame
Other Precautions
None

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>)		
N/A		
Ventilation	Local Exhaust Normal Ventilation	Special

	Mechanical (General)	Other
--	----------------------	-------

Protective Gloves Oil Proof	Eye Protection Protective Goggles
Other Protective Clothing or Equipment None	
Work/Hygienic Practices Normal Precautions	

Section IX - Special Precautions

Precautions to be taken in Handling and Storing None
Other Precautions

Each MSDS must be reviewed for correctness and completeness every three years.

Revision date: **April 3, 2007**